

Art Unit: 3612

1. The reply filed on 4/29/2008 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): Applicant has not apparently responded to the request for strength and elasticity characteristics of the material SENTRYGLAS PLUS, which is apparently the same layer of cement material currently claimed in this application as deduced from the remarks of paragraphs 27, 28 of the specification. The characteristics of this material, currently claimed, are deemed to be extremely relevant to the question of patentability of this application, given the use of an adhesive shatterproofing element as disclosed by the prior art patent to Bienert et al., discussed in the office action of 1/30/2008. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dennis H. Pedder whose telephone number is (571) 272-6667. The examiner can normally be reached on 5:30-2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn D. Dayoan can be reached on (571) 272-6659. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3612

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Dennis H. Pedder/
Primary Examiner, Art Unit 3612

Dennis H. Pedder
Primary Examiner
Art Unit 3612

DHP
5/16/2008